

GODAVARI **ELITE STONE FINISH**

GODAVARI Elite Stone Finish are tough acrylic Emulsion based finishes for protecting concrete structures.

They are not only decorative but also highly durable.

GODAVARI Elite Stone Finish is formulated out of special grade of acrylic emulsion, ceramic based minerals, siliceous aggregates and silicone additives.

GODAVARI Elite Stone Finish is formulated to withstand humidity, rain and variable climate. It also contains anti-fungus and anti-bacteria additives.

TECHNICAL DATA

Areas of application	:	Cement Plasters, Concrete, Brickwork, etc.
Method of Application	:	Spray or Trowel
Finish	:	Rough Stonelike (Dholpur, Granite, Brick)
Thinner	:	Potable Water
Drying (30°C and 60 ± 5% r.h)		
Surface Dry	:	2 Hours
Hard Dry	:	10 to 12 Hours
Spreading Capacity	:	Under ideal conditions, when GODAVARI Elite Stone Finish is sprayed at a approx. thickness of 3 mm in 2 Coats the coverage would be 1 sq.ft./Kg. Higher thickness can be achieved if desired by adjusting the nozzle size of the Spray Gun. Coverage will depend on the application techniques, nature of surface and thickness of the material sprayed.
Consistency	:	Thick Paste

Packs Available : 25 Kgs. Bag

SURFACE PREPARATION :-

EXTERIORS:

The surface has to be scrubbed with coir brush and water to make it free of grease / oil or loose foreign particles.

After the surface is dry, Primer / Penetrating Sealer is recommended for smooth and old surfaces.

INTERIORS :

The surface has to be scrubbed with sand paper and then Primer / Penetrating Sealer to be applied. The surface has to be levelled with Skim Coat / Levelling Compound.

DIRECTION FOR USE OF GODAVARI ELITE STONE FINISH :

The surface has to be sound & free of foreign particles. **GODAVARI** Elite Stone Finish materials are supplied in ready to use form. If the ambient temperature is high, little water may be added to bring a workable consistency.

1 or 2 Coats of Coloured Basecoat has to be applied followed by Masking Tape in desired design to give groove effect.

GODAVARI Elite Stone Finish material has to be sprayed with the help of spraygun in 2 Coats keeping an interval of 12 hours between 2 Coats or can be applied by trowel also.

It comes in various colours as well as neutral colour and can be overcoated with Godavari range of Exterior Paints, if required.

Remove Masking Tape.

After application of **GODAVARI** Elite Stone Finish is completed, 2 Coats of Godavari Water Repellent Lacquer has to be applied with the help of brush or roller.

On completion of the above application we will get a beautiful stone effect texture.

USES :

Can be used for Exteriors & Interiors to create designer and aesthetically beautiful, protective & decorative finishes.

TECHNICAL AID SERVICE PROVIDED ON REQUEST

Mfd. by : **GODAVARI PAINTS PVT. LTD.**

Tulsiram Gupta Mills Estate, Darukhana, Reay Road
Mumbai 400 010.

Tel.: 2372 3227 / 1249 . 2379 0135 Fax: 2377 5814

E-mail : admin@godavari paints.com Website : www.godavaripaints.com

DEPOTS : AHMEDABAD, BHIWANDI, PUNE, VADODARA,
BANGLORE

C & F / AGENTS : KANPUR, KOLHAPUR

DISCLAIMER FOR PRODUCTS :

The information presented in this publication, including technical data, details, pictures, illustrations, suggested procedures and suggested specifications, presented in this publication are for general information and representational purpose only. The information contained herein is subject to change without notice while every effort has been made to insure its accuracy, this information should not be used or relied upon for any specific application without independent professional examination and verification of its accuracy, suitability and applicability. The user shall be solely responsible for the selection, use, efficiency and suitability of the information, and anyone making use of the information does so at his own risk and assumes any and all liability resulting from such use. The information is provided on an "as is" basis and Godavari Paints Pvt. Ltd. disclaims any and all express or implied warranties of merchantability, fitness for any general or particular purpose or freedom from infringement of any patent, trademark, copyright, or proprietary right in regard to information or products contained or referred to herein. Nothing herein contained shall be construed as granting a license, express or implied under any patent, trademark, or copyright. In no event shall Godavari Paints Pvt. Ltd. be liable to user for any indirect, special, consequential or incidental damages arising out of the use, the results of use or inability to use the information.

The names of the products and trademarks are copyrights of Godavari Paints Pvt. Ltd. and its business partners who own the products developed by them that are marketed by Godavari Paints Pvt. Ltd.

